# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : FORK 30
Product code : fork-30

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Fluid for fork

### 1.3. Details of the supplier of the safety data sheet

Registered company name : IPONE
Address : La Meunière . 13480 CABRIES FR
Telephone : +33 (0)4 42 94 05 65. Fax: +33 (0)4 42 94 05 66. Telex: .
info@ipone.fr

### 1.4. Emergency telephone number : www.centres-antipoison.net/index.

Association/Organisation : Centre Anti Poison de NANCY.

**Other emergency numbers**

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671
BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 601 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336
Ireland : +353 1 8092566
24 hours a day, 7 days a week

## SECTION 2 : HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).
This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.
This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

### 2.2. Label elements

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard statements :

| | |
|---|---|
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements - General :

| | |
|---|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |

Precautionary statements - Prevention :

| | |
|---|---|
| P273 | Avoid release to the environment. |

Precautionary statements - Disposal :

| | |
|---|---|
| P501 | Dispose of contents / container in accordance with local / regional / national / international regulations |

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table
The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.
The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

**Composition :**

| Identification | (EC) 1272/2008 | Note | % |
|---|---|---|---|
| CAS: 64742-65-0<br>EC: 265-169-7<br>REACH: 01-2119471299-27 | | L | 25 <= x % < 50 |

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

| | | | |
|---|---|---|---|
| DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC | | | |
| CAS: 72623-87-1<br>EC: 276-738-4<br>REACH: 01-2119474889-13<br><br>LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED | | L | 10 <= x % < 25 |
| CAS: 64742-57-0<br>EC: 265-160-8<br>REACH: 01-2119489287-22-0004<br><br>RESIDUAL OILS (PETROLEUM), HYDROTREATED | | L | 10 <= x % < 25 |
| CAS: 64742-54-7<br>EC: 265-157-1<br>REACH: 01-2119484627-25<br><br>DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC | | L | 2.5 <= x % < 10 |
| CAS: 112-90-3<br>EC: 204-015-5<br>REACH: 01-2119473797-19<br><br>(Z)-OCTADEC-9-ENYLAMINE | GHS07, GHS05, GHS09, GHS08<br>Dgr<br>Acute Tox. 4, H302<br>Asp. Tox. 1, H304<br>Skin Corr. 1B, H314<br>STOT SE 3, H335<br>STOT RE 2, H373<br>Aquatic Acute 1, H400<br>M Acute = 10<br>Aquatic Chronic 1, H410<br>M Chronic = 10 | | 0 <= x % < 1 |
| CAS: 34140-91-5<br>EC: 251-846-4<br>REACH: 01-2119974119-29-0000<br><br>OLEIC ACID, COMPOUND WITH (Z)-N-OCTADEC-9-ENYLPROPANE-1,3 -DIAMINE | GHS07, GHS09, GHS08<br>Wng<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT RE 2, H373<br>Aquatic Chronic 2, H411<br>Aquatic Acute 1, H400<br>M Acute = 10 | | 0 <= x % < 1 |

**Information on ingredients :**

(Full text of H-phrases: see section 16)

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

## SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

**In the event of exposure by inhalation :**

Remove the victim to fresh air. If the symptoms persist, call a physician.

**In the event of splashes or contact with eyes :**

Wash immediately and abundantly with water, including under the eyelids.

**In the event of splashes or contact with skin :**

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

**In the event of swallowing :**

Seek medical attention, showing the label.

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

## SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

**5.1. Extinguishing media**

**Suitable methods of extinction**

Dry agent, foam, carbon dioxide.

**Unsuitable methods of extinction**

High volume water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.
Do not breathe in smoke.
In the event of a fire, the following may be formed :
- carbon monoxide (CO)
- carbon dioxide (CO2)

**5.3. Advice for firefighters**

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.
Spilled product may make surfaces slippery.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.
Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.
Do not swallow
Do not get in eyes, on skin, or on clothing.

**Fire prevention :**

Prevent access by unauthorised personnel.
Take precautionary measures against static discharges by bonding and grounding equipment.
No smoking.

**Recommended equipment and procedures :**

For personal protection, see section 8.
Observe precautions stated on label and also industrial safety regulations.
Ensure good ventilation at the workplace

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.
Do not breathe fumes, vapour, spray.

**7.2. Conditions for safe storage, including any incompatibilities**

Store between 5°C and 40°C in a dry, well ventilated place.
Only use hydrocarbon-resistant containers, joints and pipes.

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

**Storage**

Keep out of reach of children.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1. Control parameters**

No data available.

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

| **Final use:** | **Workers.** |
|---|---|
| Exposure method: | Inhalation. |
| Potential health effects: | Long term local effects. |
| DMEL : | 0.38 mg of substance/m3 |

**Predicted no effect concentration (PNEC):**

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

| | |
|---|---|
| Environmental compartment: | Soil. |
| PNEC : | 10 mg/kg |
| Environmental compartment: | Fresh water. |
| PNEC : | 0.00026 mg/l |
| Environmental compartment: | Sea water. |
| PNEC : | 0.00026 mg/l |
| Environmental compartment: | Intermittent waste water. |
| PNEC : | 0.55 mg/l |
| Environmental compartment: | Fresh water sediment. |
| PNEC : | 0.1794 mg/kg |
| Environmental compartment: | Marine sediment. |
| PNEC : | 0.01794 mg/kg |

**8.2. Exposure controls**

**Appropriate engineering controls**

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.
Personnel shall wear regularly laundered overalls.

**Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.
Store personal protective equipment in a clean place, away from the work area.
Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.
Use eye protectors designed to protect against liquid splashes
Before handling, wear safety goggles in accordance with standard EN166.

**- Hand protection**

Wear suitable protective gloves in the event of prolonged or repeated skin contact.
Type of gloves recommended :

| | |
|---|---|
| Glove thickness: | 0.38 mm |
| Break-through time: | > 480 mn |

**- Body protection**

Work clothing worn by personnel shall be laundered regularly.
After contact with the product, all parts of the body that have been soiled must be washed.

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

**- Respiratory protection**

Breathing apparatus only when aerosol or spray are formed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical state**

| | |
|---|---|
| Physical state : | Fluid liquid. |

**Colour**

Unspecified

**Odour**

| | |
|---|---|
| Odour threshold : | Not stated. |

**Freezing point**

| | |
|---|---|
| Freezing point / Freezing range : | Not stated. |

**Boiling point or initial boiling point and boiling range**

| | |
|---|---|
| Boiling point/boiling range : | Not relevant. |

**Flammability**

| | |
|---|---|
| Flammability (solid, gas) : | Not stated. |

**Lower and upper explosion limit**

| | |
|---|---|
| Explosive properties, lower explosivity limit (%) : | Not stated. |
| Explosive properties, upper explosivity limit (%) : | Not stated. |

**Flash point**

| | |
|---|---|
| Flash Point Interval : | FP > 100°C. |

**Auto-ignition temperature**

| | |
|---|---|
| Self-ignition temperature : | Not relevant. |

**Decomposition temperature**

| | |
|---|---|
| Decomposition point/decomposition range : | Not relevant. |

**pH**

| | |
|---|---|
| pH (aqueous solution) : | Not stated. |
| pH : | Not relevant. |

**Kinematic viscosity**

| | |
|---|---|
| Viscosity : | 102.2 mm²/s à 40°C |

**Solubility**

| | |
|---|---|
| Water solubility : | Insoluble. |
| Fat solubility : | Not stated. |

**Partition coefficient n-octanol/water (log value)**

| | |
|---|---|
| Partition coefficient: n-octanol/water : | Not stated. |

**Vapour pressure**

| | |
|---|---|
| Vapour pressure (50°C) : | Not relevant. |

**Density and/or relative density**

| | |
|---|---|
| Density : | < 1 |

**Relative vapour density**

| | |
|---|---|
| Vapour density : | Not stated. |

### 9.2. Other information

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

No data available.

**10.4. Conditions to avoid**

Keep away from heat and from sources of ignition
Take precautionary measures against static discharges.

**10.5. Incompatible materials**

Strong oxidants
Acids

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :
- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No data available.

**11.1.1. Substances**

**Acute toxicity :**

OLEIC ACID, COMPOUND WITH (Z)-N-OCTADEC-9-ENYLPROPANE-1,3-DIAMINE (CAS: 34140-91-5)

| | |
|---|---|
| Oral route : | LD50 >= 2000 mg/kg<br>Species : Rat<br>OCDE Ligne directrice 423 (Toxicité aiguë par voie orale - Méthode de la classe de toxicité aiguë) |
| Dermal route : | LD50 > 2000 mg/kg<br>Species : Rat<br>OCDE Ligne directrice 402 (Toxicité aiguë par voie cutanée) |

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

| | |
|---|---|
| Oral route : | 300 < LD50 <= 2000 mg/kg<br>Species : Rat |

**11.1.2. Mixture**

**Skin corrosion/skin irritation :**

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.

**Serious damage to eyes/eye irritation :**

Mild eye irritation

**Aspiration hazard :**

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons."
May cause lung damage if swallowed

**11.2. Information on other hazards**

**Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 140-88-5 : IARC Group 2B : The agent is possibly carcinogenic to humans.

## SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.
The product must not be allowed to run into drains or waterways.

**12.1. Toxicity**

**12.1.1. Substances**

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)

| | |
|---|---|
| Fish toxicity : | 0.01 < LC50 <= 0.1 mg/l<br>Factor M = 10<br>Species : Pimephales promelas<br>OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë) |
| Crustacean toxicity : | 0.01 < EC50 <= 0.1 mg/l<br>Factor M = 10<br>Species : Daphnia magna |

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

Algae toxicity : 0.01 < ECr50 <= 0.1 mg/l
Factor M = 10
Species : Desmodesmus subspicatus

OLEIC ACID, COMPOUND WITH (Z)-N-OCTADEC-9-ENYLPROPANE-1,3-DIAMINE (CAS: 34140-91-5)

Fish toxicity : LC50 = 0.13 mg/l
Factor M = 10
Species : Danio rerio
Duration of exposure : 96 h
OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity : EC50 = 0.14 mg/l
Species : Daphnia magna
Duration of exposure : 48 h

Algae toxicity : ECr50 = 0.041 mg/l
Species : Pseudokirchnerella subcapitata
Duration of exposure : 72 h
OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

**12.1.2. Mixtures**

Fish toxicity : Harmful.
10 < LC50 <= 100 mg/l

**12.2. Persistence and degradability**

**12.2.1. Substances**

OLEIC ACID, COMPOUND WITH (Z)-N-OCTADEC-9-ENYLPROPANE-1,3-DIAMINE (CAS: 34140-91-5)
Biodegradability : Rapidly degradable.

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)
Biodegradability : Rapidly degradable.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7)
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

RESIDUAL OILS (PETROLEUM), HYDROTREATED (CAS: 64742-57-0)
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

**12.2.2. Mixtures**

**12.3. Bioaccumulative potential**

**12.3.1. Substances**

(Z)-OCTADEC-9-ENYLAMINE (CAS: 112-90-3)
Bioaccumulation : BCF >= 500.

**12.4. Mobility in soil**

Not very mobile in soil.
The product is insoluble in water and will spread on the surface

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Endocrine disrupting properties**

No data available.

**12.7. Other adverse effects**

Do not dispose of the product in the natural environment, effluents or surface waters.

**German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :**

WGK 3 : Extremely hazardous for water.

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

**14.1. UN number or ID number**

-

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

-

**14.4. Packing group**

-

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :**

WGK 3 : Extremely hazardous for water.

**15.2. Chemical safety assessment**

No data available.

## SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

| | |
|---|---|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)

| | |
|---|---|
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure . |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

**Abbreviations :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.
EC50 : The effective concentration of substance that causes 50% of the maximum response.
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
DMEL : Derived Minimal Effect Level
PNEC : Predicted No-Effect Concentration
STEL : Short-term exposure limit
TWA : Time Weighted Averages
TMP : French Occupational Illness table
TLV : Threshold Limit Value (exposure)
AEV : Average Exposure Value.
ADR : European agreement concerning the international carriage of dangerous goods by Road.
IMDG : International Maritime Dangerous Goods.
IATA : International Air Transport Association.
ICAO : International Civil Aviation Organisation
RID : Regulations concerning the International carriage of Dangerous goods by rail.
WGK : Wassergefahrdungsklasse (Water Hazard Class).
PBT: Persistent, bioaccumulable and toxic.
vPvB : Very persistent, very bioaccumulable.
SVHC : Substances of very high concern.

Made under licence of European Label System, Software of INFODYNE (http://www.infodyne.fr)